Contents

Preface vii

Committees ix

ICL '99 Prize xiii

ICL '99 Young Researcher Award xiv

Section 1. ICL '99 Prize paper

Progress in exciton spectroscopy: personal perspective
E.I. Rashba 1

Section 2. Plenary papers

Exciton–radiation interaction in nanostructures
K. Cho 7

Bose–Einstein condensation and superfluidity of excitons in Cu_2O
E. Fortin, A. Mysyrowicz 12

Excitonic processes in GaAs/AlAs type-II superlattices
M. Nakayama 15

Quantum coherence in semiconductors
M. Wegener 20

Exciton polaritons in single and coupled microcavities
M.S. Skolnick, V.N. Astratov, D.M. Whittaker, A. Armitage, M. Emam-Ismael, R.M. Stevenson, J.J. Baumberg, J.S. Roberts, D.G. Lidzey, T. Virgili, D.D.C. Bradley 25

Quantum coherence in nonlinear optical processes: theory and possible application to control of chemical reaction and quantum computation
J. Cao 30

Section 3. Single quantum dot spectroscopy

Spectroscopy of single self-assembled quantum dots
A. Zrenner, F. Findeis, E. Beham, M. Markmann, Gerhard Böhm, G. Abstreiter 35

Imaging and single dot spectroscopy of InP self-assembled quantum dots
M. Sugisaki, H.-W. Ren, S.V. Nair, J.-S. Lee, S. Sugou, T. Okuno, Y. Masumoto 40

Spectroscopies of exciton and biexciton in InGaAs quantum disk
H. Kamada, H. Ando, T. Takagahara, J. Temmyo, T. Tamamura 46

Section 4. Organic electroluminescence

Novel silicon-based copolymers for tunable light-emitting diodes: synthesis and characterization
S.-H. Jung, H.K. Kim 51

Organic LED full color passive-matrix display
H. Kubota, S. Miyaguchi, S. Ishizuka, T. Wakimoto, J. Funaki, Y. Fukuda, T. Watanabe, H. Ochi, T. Sakamoto, T. Miyake, M. Tsuchida, I. Ohshita, T. Tohma 56

Energy level alignment and band bending at model interfaces of organic electroluminescent devices
H. Ishii, H. Oji, E. Ito, N. Hayashi, D. Yoshimura, K. Seki 61

Section 5. Spectroscopy of biological systems

Linear absorption as a tool to measure the exciton delocalization length in molecular assemblies
L.D. Bakalis, J. Knoester 66

Structural strategies in the antenna system of photosynthesis on the basis of quantum-mechanical coherence among pigments
H. Sumi 71

Section 6. Photo-induced cooperative phenomena

Photo-induced phase transitions in organic and inorganic semiconductors
S. Koshihara 77

Ultrafast photoinduced insulator–metal transition in $Pr_{0.7}Ca_{0.3}MnO_3$
M. Fiebig, K. Miyano, Y. Tomioka, Y. Tokura 82

Nonlinear nonequilibrium quantum dynamics of photoinduced structural phase transitions
K. Nasu, H. Mizouchi, H. Ping 86

Section 7. Non-conventional methods and phenomena in optical spectroscopy

Comparisons between 2D doubly vibrationally enhanced four wave mixing and site selective spectroscopy
W. Zhao, K.M. Murdoch, N.J. Condon, D.M. Besemann, K.A. Meyer, P.C. Chen, J.P. Hamilton, A. Zilian, M.J. Labuda, D.E. Thompson, R.J. Carlson, G.B. Hurst, M.T. Riebe, J.K. Steehler, J.C. Wright 90

Tracking recombination processes in Si : Er with a free-electron laser
T. Gregorkiewicz, D.T.X. Thao, J.M. Langer, H.H.P.Th. Bekman 96

Development of two-dimensional Raman spectroscopy by higher-order optical nonlinear spectroscopy
K. Tominaga, H. Maekawa 101

Section 8. Single molecule spectroscopy

Optical spectroscopy of single molecules: application to nonlinear and quantum optics
Ch. Brunel, Ph. Tamarat, B. Lounis, M. Orrit 105

Zero–phonon lines of single molecules in polyethylene down to millikelvin temperatures
E.A. Donley, S. Bonsma, V. Palm, V. Burzomato, U.P. Wild, T. Plakhotnik 109

Section 9. Ultrafast and coherent processes

Frenkel-exciton Hamiltonian for dendrimeric nanostar
T. Minami, S. Tretiak, V. Chernyak, S. Mukamel 115

Sub-10-fs tunable pulses in visible and NIR and visible sub-5-fs pulses generated by noncollinear OPA
T. Kobayashi, A. Shirakawa 119

Relaxation paths of charge transfer excitons
L. Valkunas, V. Gulbinas, S. Jursenas 121

Time and frequency resolved femtosecond solvent dynamics
J.D. Hybl, S.M. Gallagher Faeder, A.W. Albrecht, C.A. Tolbert, D.C. Green, D.M. Jonas 126

Section 10. Physics, materials and device science underlying blue semiconductor lasers

Optical properties and polarization fields in the nitrides
A. Hangleiter 130

Performance and optical gain characteristic of InGaN MQW laser diodes
M. Kneissl, C.G. Van de Walle, D.P. Bour, L.T. Romano, L.L. Goddard, C.P. Master, J.E. Northrup, N.M. Johnson 135

Dense excitonic luminescence and optical gain in ZnS-based quantum wells
Y. Yamada 140

Gain spectroscopy and vertical cavity devices in wide-gap semiconductors
A.V. Nurmikko, Y.-K. Song 145

Section 11. Exciton interaction in restricted geometries

Spontaneous emission of organic molecules and semiconductor nanocrystals in a photonic crystal
S.V. Gaponenko, V.N. Bogomolov, E.P. Petrov, A.M. Kapitonov, A.A. Eychmueller, A.L. Rogach, I.I. Kalosha, F. Gindele, U. Woggon 152

Energy shifts of indirect excitons in coupled quantum wells
D.W. Snoke, V. Negoita, K. Eberl 157

Role of exciton–exciton interaction on resonant third-order nonlinear optical responses
M. Kuwata-Gonokami, T. Aoki, C. Ramkumar, R. Shimano, Yu.P. Svirko 162

Section 12. Exciton–exciton interaction

Dephasing kinetics of a coherent exciton polarization by exciton–exciton scattering
O.M. Schmitt, L. Bányai, H. Haug 168

Spatial evolution of correlated exciton–polaritons and their detection by use of four-wave-mixing signals
T. Karasawa, H. Mino, M. Yamamoto 174

Exciton interaction and spin dynamics in semiconductor heterostructures
L.J. Sham, Th. Östreich 179

Section 13. Macromolecules and single molecules

One- and two-photon counting methods in single molecule fluorescence
I.S. Osad'ko, L.B. Yershova 184

Section 14. Excitons

Bose–Einstein statistics in photoluminescence of quantum well excitons
A.L. Ivanov, P.B. Littlewood, H. Haug 189

Direct creation of electron–hole plasma by exciton Mott transition in CuCl
M. Nagai, R. Shimano, M. Kuwata-Gonokami 192

Exciton–exciton interaction through barrier layer
M. Hirasawa, T. Ishihara 195

Charged excitons in weakly doped semiconductors
F.X. Bronold 198

Two-photon spectroscopy on cold ortho-excitons in a stress trap in Cu_2O crystals
N. Naka, N. Nagasawa 201

Photoexcitations in the strongly correlated 1D electron system of halogen-bridged Ni compounds
H. Okamoto, H. Kishida, M. Ono, H. Matsuzaki, M. Yamashita, T. Manabe 204

Exciton characteristics of GaTe layered crystals
A. Yamamoto, A. Syouji, T. Goto 207

Temperature dependence of four-wave-mixing spectra in ZnO thin films on sapphire substrates grown with laser MBE
T. Makino, N.T. Tuan, Y. Segawa, C.H. Chia, A. Ohtomo, M. Kawasaki, H. Koinuma 210

Spin beats of anisotropic excitons in GaSe
T. Kuroda, Y. Yamauchi, F. Minami 213

Inverse exciton series for observation of bipolariton coupling
E. Tokunaga, A.L. Ivanov, S.V. Nair, Y. Masumoto 216

Excitonic relaxation involving exciton–acoustic phonon interactions in quantum wells
I.-K. Oh, J. Singh 219

Luminescence of ultracold excitons in cuprous oxide crystal
I.S. Gorban, V.O. Gubanov, I.M. Dmitruk, V.D. Kulakovskii 222

Role of exciton states in resonant Raman scattering in some chalcopyrite crystals
N. Yamamoto, M. Susaki, K. Wakita 226

Theory of Urbach tail for ferroelectric materials with an order-disorder-type phase transition
K. Noba, Y. Kayanuma 229

Luminescence of free and self-trapped excitons in wide-gap oxides
A. Lushchik, M. Kirm, Ch. Lushchik, I. Martinson, G. Zimmerer 232

Stimulated emission from exciton–exciton scattering in CuBr thin films
H. Ichida, M. Nakayama, H. Nishimura 235

Bosonized Hamiltonian for excitonic $\chi^{(3)}$ responses in semiconductors
S. Okumura, T. Ogawa 238

Superfluidity of excitons in type-II semiconductor quantum well
T. Iida, M. Tsubota 241

Renormalized versus unrenormalized interactions of excitons in a quantum well
J.-i. Inoue, T. Brandes, A. Shimizu 244

Triplet-to-singlet conversion of 1s excitons in β-ZnP_2
K. Nakamura, M. Shigoku, H. Nagasaki 248

Luminescence of hydrogen-bonded ferroelectrics $PbHPO_4$
N. Ohno, N. Kida, Y. Yamazaki 251

Two-photon excitation spectra of exciton luminescence in CaF_2 obtained by using synchrotron radiation and laser
T. Tsujibayashi, M. Watanabe, O. Arimoto, M. Itoh, S. Nakanishi, H. Itoh, S. Asaka, M. Kamada 254

Photoluminescence from heavy-hole and light-hole excitons split by thermal strain in CuI thin films
I. Tanaka, D. Kim, M. Nakayama, H. Nishimura 257

Absorption spectra simulation of amalgamation-type cyanine dye aggregates in LB films
A.G. Vitukhnovsky, A.N. Lobanov, A. Pimenov, Y. Yonezawa, N. Kometani, K. Asami, J. Yano 260

Fractional dimension analysis of self-trapped Frenkel excitons in molecular microcrystallites
M. Takeshima, K. Mizuno, A.H. Matsui 263

Dynamical aspects of the core excitons formed by the 4f–4f transitions of Gd^{3+} in Gd_2SiO_5
K. Mori, H. Nishimura, M. Nakayama, H. Ishibashi 266

Time-resolved observation of anti-Stokes photoluminescence at ordered $Ga_{0.5}In_{0.5}P$ and GaAs interfaces
T. Kita, T. Nishino, C. Geng, F. Scholz, H. Schweizer 269

Polarization dependence of biexciton formation in CuCl studied by pump-probe spectroscopy
M. Ichimiya, M. Watanabe, T. Hayashi 272

Space-resolved luminescence and degenerate four-wave-mixing spectra of heavily photo-created exciton states in a layered crystal GaSe
M. Yamamoto, H. Mino, I. Akai, T. Karasawa, V.F. Aguekian 275

Anomalous behavior of the high-density excitons and their nonlinear optical response in a quasi-two-dimensional space in a layered crystal BiI_3
H. Mino, M. Yamamoto, T. Kawai, I. Akai, T. Karasawa 278

Two-photon absorption and two-exciton polaron structure in molecular aggregates
T. Kato, S. Kobayashi 281

Photocalorimetric spectroscopy of excitons in β-ZnP_2
O. Arimoto, S. Umemoto, K. Nakamura 284

Intrinsic luminescence in $PbBr_2$ crystals under one- and two-photon excitation
M. Iwanaga, M. Watanabe, T. Hayashi 287

Self-trapped exciton emission in crystalline anatase
I. Sildos, A. Suisalu, J. Aarik, T. Sekiya, S. Kurita 290

Photoluminescence study of γ-In_2Se_3 epitaxial films grown by molecular beam epitaxy
T. Ohtsuka, T. Okamoto, A. Yamada, M. Konagai 293

Time-resolved electron spin resonance detection of the mobile triplet exciton in a charge-transfer crystal
Y. Teki, K. Iimura 296

Excitons in AgI
S. Mochizuki, Y. Ohta 299

Section 15. Quantum structures

Homogeneous line broadening mechanism of quantum dots
B.-R. Hyun, M. Furuya, K. Takemoto, Y. Masumoto 302

A periodic finite array of monolayers strongly coupled with electromagnetic field
T. Ikawa, K. Cho 305

Theory of exciton fine structures and extremely slow spin relaxation in single quantum dots
T. Takagahara 308

Excited-state absorption of excitons confined in CuCl quantum dots
K. Yamanaka, K. Edamatsu, T. Itoh 312

Doped semiconductor nanoparticles – a new class of luminescent materials?
A.A. Bol, A. Meijerink 315

Site of the Er^{3+} optical centers of the 1.54 μm room-temperature emission in Er-doped porous silicon and the excitation mechanism
W. Wang, H. Isshiki, S. Yugo, R. Saito, T. Kimura 319

Er^{3+}–photon interaction
M. Lipson, T.D. Chen, D.R. Lim, A. Luan, A. Agarwal, J. Michel, K. Wada, L.C. Kimerling 323

Er-related luminescence from self-assembled InAs quantum dots doped with Er by organometallic vapor-phase epitaxy
Y. Fujiwara, T. Kawamoto, S. Fuchi, M. Ichida, Y. Nonogaki, A. Nakamura, Y. Takeda 326

Characterization of self-assembled quantum dots using the phonon-induced features of PL spectra
V.M. Fomin, S.N. Klimin, V.N. Gladilin, J.T. Devreese 330

Electronic state and optical response of a semiconductor quantum dot lattice embedded in an organic host
N.Q. Huong, J.L. Birman 333

Line broadening and localization mechanisms in CdSe/ZnSe quantum dots
V. Türck, S. Rodt, O. Stier, R. Heitz, U.W. Pohl, R. Engelhardt, D. Bimberg 337

Transverse and longitudinal characters of excitons in spherical and cylindrical quantum dots
H. Ajiki, K. Takizawa, K. Cho 341

Luminescence, energy transfer and anti-Stokes PL in wide band-gap semimagnetic nanostructures
W. Heimbrodt, H. Falk, P.J. Klar 344

Exciton luminescence in quantum dots and quantum wires of diluted magnetic semiconductors
K. Takabayashi, N. Takahashi, I. Yagi, K. Yui, I. Souma, J.X. Shen, Y. Oka 347

Control of photoluminescence energy of Si nanocrystals by Ge doping
S. Takeoka, K. Toshikiyo, M. Fujii, S. Hayashi, K. Yamamoto 350

Influence of thermal and laser heating effects on the Raman spectra of luminescent yellow silicon fiber
P.H. Duong, H.K. Phan, N.T.T. Tam, D.X. Thanh, N.X. Nghia, P. Lavallard 353

Triexciton luminescence in confined electron–hole systems
K. Ishida 357

Photostimulated luminescence of quantum dots
Y. Masumoto, S. Ogasawara 360

Spectroscopy of non-radiative recombination centers in quantum wells by two-wavelength excited photoluminescence
J.M.Z. Ocampo, N. Kamata, K. Hoshino, K. Endoh, K. Yamada, M. Nishioka, T. Someya, Y. Arakawa 363

Photoluminescence of two-dimensional electron system excited by far-infrared cyclotron resonance in GaAs/AlGaAs double heterostructure
H. Nakata, M. Saitoh, K. Fujii, T. Ohyama 366

A novel method for quantum transmission across arbitrary potential barriers
S.L. Ban, J.E. Hasbun, X.X. Liang 369

Luminescence of ternary nanoaggregates in CsI–PbI_2 thin films
M. Nikl, K. Nitsch, F. Somma, P. Fabeni, G.P. Pazzi, X.Q. Feng 372

Higher excited electron–hole pair states in quantum dots and related second-order optical processes
T. Uozumi, Y. Kayanuma 375

Inverse matrix diagonalization for photonic band calculation
T. Minami, K. Sekine, H. Ajiki, K. Cho 378

Temperature-dependent line widths of single excitons and biexcitons
F. Gindele, K. Hild, W. Langbein, U. Woggon 381

Cathodoluminescence and photoluminescence decay behaviors of CdSe dots embedded in ZnSe
I. Yamakawa, M. Ichida, S.V. Sorokin, A.A. Toropov, A.N. Titkov, S.V. Ivanov, A. Nakamura 384

Micro-photoluminescence spectroscopy of CuCl quantum dots in thin NaCl crystals
K. Edamatsu, T. Itoh, S. Hashimoto, B.P. Zhang, Y. Segawa 387

Exciton and biexciton properties of CuCl microcrystals in an SiO_2 matrix prepared by sputtering method
H. Kurisu, K. Nagoya, N. Nakayama, S. Yamamoto, M. Matsuura 390

Time-resolved optical spectroscopy in $Cd_{1-x}Mn_xTe/ZnTe$ multiple quantum wells
R. Pittini, M. Takahashi, J.X. Shen, Y. Oka 393

Magneto-photoluminescence from self-organized quantum dots of $Cd_{1-x}Mn_xTe$ grown by molecular beam epitaxy
Y. Terai, S. Kuroda, K. Takita, T. Takamasu, G. Kido 396

Polarization of photoluminescence from strained InGaAs quantum wires on GaAs (1 1 0) substrates
K. Inoue 399

Preparation and optical properties of capped-CdSe nanocrystals
K. Hashizume, M. Vacha, T. Tani 402

Photoluminescence spectra of ZnO particles embedded in thin alkali halide crystals
Y. Harada, H. Kondo, N. Ichimura, S. Hashimoto 405

High-pressure study of deep emission band at GaAs/partially ordered GaInP interface
T. Kobayashi, T. Ohmae, T. Ito, K. Uchida, J.-i. Nakahara 408

Photoluminescence and carrier transport properties via the intersubband scattering in a GaAs/AlAs superlattice under applied electric field
M. Ando, M. Nakayama, H. Takeuchi, H. Nishimura, N. Ohtani, N. Egami, M. Hosoda, H. Mimura 411

Anomalous photoluminescence originating from resonance between X and intermediate states in GaAs/AlAs superlattices
N. Ohtani, C. Domoto, K. Kuroyanagi, N. Egami, M. Hosoda 415

Preparation and properties of nanocrystalline ZnS : Mn-polymer composite films
T. Kezuka, M. Konishi, T. Isobe, M. Senna 418

Nonlinear optical dynamics of semiconductor nanostructures: feasibility of the photonic quantum gate
I.Ya. Gerlovin, V.V. Ovsyankin, B.V. Stroganov, V.S. Zapasskii 421

Photoluminescence and particle size distribution in porous silicon
H. Yorikawa, S. Muramatsu 423

Photoluminescence decay dynamics of SiO_2 films containing Si nanocrystals and Er
K. Watanabe, S. Takeoka, M. Fujii, S. Hayashi, K. Yamamoto 426

Photoluminescence from Si nanocrystals dispersed in phosphosilicate glass thin films
A. Mimura, M. Fujii, S. Hayashi, K. Yamamoto 429

Luminescence properties of GaAs nanocrystals fabricated by sequential ion implantation
Y. Kanemitsu, H. Tanaka, T. Kushida, K.S. Min, H.A. Atwater 432

Exciton–phonon interaction and energy relaxation in ZnSe-based low-dimensional heterostructures
S. Permogorov, A. Reznitsky, A. Klochikhin, L. Tenishev, W. von der Osten, H. Vogelsang, H. Stolz, M. Juette 435

Coulomb effects in the optical spectra of highly excited semiconductor quantum dots
S.V. Nair, Y. Masumoto 438

LO phonon resonances in photoluminescence spectra of InP self-assembled quantum dots in electric field
I.E. Kozin, I.V. Ignatiev, S.V. Nair, H.-W. Ren, S. Sugou, Y. Masumoto 441

Photoluminescence and photoacoustic investigations of the photodarkening effect in CdS_xSe_{1-x} nanocrystal-doped glasses
Q. Shen, K. Abe, T. Shigenari, T. Toyoda 444

Rare earth activated nanosized oxide phosphors: synthesis and optical properties
L. Sun, J. Yao, C. Liu, C. Liao, C. Yan 447

Exciton–LO phonon interaction in a quantum dot
K. Oshiro, M. Matsuura 451

The luminescence of nanocrystalline ZnO particles: the mechanism of the ultraviolet and visible emission
A. van Dijken, E.A. Meulenkamp, D. Vanmaekelbergh, A. Meijerink 454

Near-infrared photoluminescence from Ge nanocrystals in SiO_2 matrices
Y. Kanemitsu, K. Masuda, M. Yamamoto, K. Kajiyama, T. Kushida 457

Photoluminescence properties of porous a-Si
Y. Kanemitsu, Y. Fukunishi, T. Kushida 460

Photoluminescence spectrum of a-Si/SiO_2 and c-Si/SiO_2 quantum wells
Y. Kanemitsu, M. Iiboshi, T. Kushida 463

Optical properties of Sm-doped ZnS nanocrystals
T. Kushida, A. Kurita, M. Watanabe, Y. Kanematsu, K. Hirata, N. Okubo, Y. Kanemitsu 466

Photobrightening of CuBr nanocrystals in PMMA
M. Oda, M.Y. Shen, M. Saito, T. Goto 469

Comparison of energy levels of Mn^{2+} in nanosized- and bulk-ZnS crystals
M. Tanaka, J. Qi, Y. Masumoto 472

Temperature and magnetic field effects of transient exciton luminescence in $Cd_{1-x}Mn_xTe/Cd_{1-y}Mg_yTe$ quantum wells
M.C. Debnath, J.X. Shen, E. Shirado, I. Souma, T. Sato, R. Pittini, Y. Oka 475

Photoluminescence of CdS : Mn^{2+} and Eu^{3+} nanoparticles dispersed in zirconia sol–gel films
M. Morita, D. Rau, H. Fujii, Y. Minami, S. Murakami, M. Baba, M. Yoshita, H. Akiyama 478

Observation of homogeneous broadening of confined excitons in CuCl quantum dots
M. Ikezawa, Y. Masumoto 482

Observation of homogeneous optical spectrum in CdSe quantum dots using femtosecond accumulated photon echo
K. Takemoto, B.-R. Hyun, Y. Masumoto 485

Preparation and fluorescence properties of Eu^{3+}-doped strontium chloroapatite nanocrystals
N. Murase, R. Jagannathan, Y. Kanematsu, Y. Kawasaki, A. Tomita, T. Yazawa, T. Kushida 488

Strong confinement of PbSe and PbS quantum dots
T. Okuno, A.A. Lipovskii, T. Ogawa, I. Amagai, Y. Masumoto 491

Coherent and incoherent carrier dynamics of InGaAs quantum dots analyzed by transient photoluminescence
T. Nishimura, S. Lan, K. Akahane, M. Kawabe, O. Wada 494

Two-photon absorption and hydrostatic pressure effects on exciton states in one-dimensional crystal $C_5H_{10}NH_2PbI_3$
T. Fukumoto, M. Hirasawa, T. Ishihara 497

Softening of the LO phonons in excited state of CuCl nanocrystals
A.V. Baranov, S. Yamauchi, Y. Masumoto 500

Phonon-enhanced intraband transitions in InAs self-assembled quantum dots
A.V. Baranov, V. Davydov, H.-W. Ren, S. Sugou, Y. Masumoto 503

Photoluminescence of free and localized excitons from CdTe/CdMnTe quantum well structures in the presence of a strong external magnetic field
V.F. Aguekian, T. Komatsu, N. Miura, K. Uchida, D. Ashenford, B. Lunn 506

Biexcitons and charged excitons in GaAs/AlAs type-II superlattices: a quantum Monte Carlo study
T. Tsuchiya 509

Thickness dependence of photoluminescence excitation spectra of GaAs thin films due to confinement of excitonic polaritons
K. Akiyama, N. Tomita, Y. Nomura, T. Isu 512

Exciton transitions in the hexagonal CuI microcrystallites grown on polymers
A. Tanji, I. Akai, K. Kojima, T. Karasawa, T. Komatsu 516

Luminescence spectra and structure of novel MnF_2 heterostructures
A.G. Banshchikov, S.V. Gastev, M. Ichida, A. Nakamura, H. Ofuchi, N.S. Sokolov, M. Tabuchi, Y. Takeda, N.L. Yakovlev, M.V. Zamoryanskaya 519

"Unusual" temperature behavior of the photoluminescence of the InP and InGaAs quantum dots under quasi-resonance excitation
V. Davydov, I.V. Ignatiev, I.E. Kozin, J.-S. Lee, H.-W. Ren, S. Sugou, Y. Masumoto 522

Shape-dependent confined excitons and acoustic phonons of CuCl nanocrystals embedded in NaCl crystals
J. Zhao, M. Ikezawa, A.V. Fedorov, Y. Masumoto 525

Optimum annealing condition for 1.5 μm photoluminescence from β-$FeSi_2$ balls grown by reactive deposition epitaxy and embedded in Si crystal
T. Suemasu, Y. Iikura, K. Takakura, F. Hasegawa 528

Influence of adsorbed CdS nanoparticles on $^5D_0 \rightarrow {}^7F_J$ emissions in Eu^{3+}-doped silica gel
T. Hayakawa, S. Tamil Selvan, M. Nogami 532

The valence-band coupling effect on Fano profiles of magnetoexcitons in semiconductor quantum wells
K. Hino 535

Synthesis of CdS nanocrystal within copolymer
L. Sun, X. Fu, M. Wang, C. Liu, C. Liao, C. Yan 538

Section 16. Impurity centers, defect centers and self-trapping

Formation of S_2^- and Se_2^- molecular ions through photochemical reactions and their vibronic luminescence in KCl : MnS/Se crystals
R. Ye, M. Baba, K. Nishidate, L.O. Schwan, D. Schmid 542

First-principles calculations of hole trapping and transport: Effects on scintillator luminescence
M. Klintenberg, S.E. Derenzo, M.J. Weber 546

Electron-hole recombination in $PbCl_2$: Tl crystals
S.V. Nistor, M. Stefan, E. Goovaerts, D. Schoemaker 549

Optically induced conversion of glow peaks 4 and 5 in LiF : Mg,Ti due to localized and de-localized recombination mechanisms
Y. Weizman, Y.S. Horowitz, L. Oster 552

Creation of secondary excitons in solid Ar observed in the luminescence of molecular self-trapped excitons (M-STE)
E. Gminder, M. Kirm, V. Kisand, B. Steeg, S. Vielhauer, G. Zimmerer 555

Time-resolved study and molecular dynamics simulation of defect centers in BaFX (X = Cl, Br) crystals
T. Kurobori, K. Inabe, S. Aoshima, T. Itoh, M. Takeuchi, E. Radzhabov 558

Luminescence of oxygen and magnesium containing $LiBaF_3$ crystals
N. Shiran, V. Voronova 561

Theoretical study of optical transitions of *H* centers in potassium halides
J. Maeda, T. Okada 564

Hot luminescence from F centers in KCl studied by time-resolved polarization spectroscopy
N. Akiyama, S. Muramatsu, S. Ide, H. Ohkura 568

High-pressure spectroscopy of $LiNbO_3 : MgO,Cr^{3+}$ crystals
A. Kamińska, A. Suchocki, M. Grinberg, J. Garcia-Sole, F. Jaque, L. Arizmendi 571

Introduction of color center into β-Si_3N_4 single crystal
J. Ye, K. Furuya, Y. Misono, K. Matsuo, F. Munakata, I. Ishikawa, Y. Akimune 574

Defect reduction in $SrTiO_3$ by Al addition
S. Okamoto, S. Tanaka, H. Yamamoto 577

Emission decay times of F_3^+ and F_2 color centers in LiF crystals
G. Baldacchini, F. De Matteis, R. Francini, U.M. Grassano, F. Menchini, R.M. Montereali 580

Luminescence studies in colour centres produced in natural topaz
C. Marques, L. Santos, A.N. Falcão, R.C. Silva, E. Alves 583

Formation of high density color centers and laser ablation in alkali halide crystals
N. Ichimura, H. Kondo, Y. Harada, S. Hashimoto 586

Section 17. Electron–phonon interaction and nonradiative relaxation

Collective oscillation in dense electronic level system measured by picosecond resonant four-wave mixing
H. Souma, Y. Ishikawa, H. Tashiro 589

Excited-state solvent dynamics and fluorescence quenching of solutions
V.S. Pavlovich 592

Generalization of the hydrodynamical model to analyze Raman scattering by free carriers: application to n-InP
J. Ibáñez, R. Cuscó, N. Blanco, G. González-Díaz, L. Artús 595

Saturation of multiphonon relaxation rates of rare-earth ions in glasses and phonon localization in disordered structures
F. Pellé, F. Auzel 598

Electron–phonon coupling of Cr^{3+} in YAG and YGG
A.P. Vink, A. Meijerink 601

Luminescence spectra of $SrTiO_3 : Mn^{4+}$
Z. Bryknar, V. Trepakov, Z. Potůček, L. Jastrabík 605

Photoluminescence and photoacoustic spectra of ZnSe bulk crystals and epitaxial layers
K. Yoshino, H. Mikami, M. Yoneta, T. Ikari 608

Infrared and visible emission of Pr^{3+}, Eu^{3+}, Yb^{3+}/Er^{3+} in $Ca_4Gd(BO_3)_3O$ (GdCOB)
A. Aron, P.Y. Tigréat, A. Caramanian, E. Antic-Fidancev, B. Viana, G. Aka, D. Vivien 611

Bound polarons in ternary mixed crystals
X.X. Liang, Z. Wang, S. Ban 614

Relaxation process of band-edge exciton in layered crystalline $GeSe_2$
T. Nakaoka, Y. Wang, O. Matsuda, K. Inoue, K. Murase 617

Laser optoacoustics of rare-earth-doped crystals
F. Cussó, J.A. Muñoz, E. Cantelar, J.O. Tocho, N. Rodrigo 620

Structural phase transitions of polyphenyl crystals studied by fluorescence and absorption spectroscopy
T. Suzuki, G. Kudo, K. Nukui, M. Mizuno, K. Abe, T. Shigenari 623

Optical phonons and electron–phonon interaction in quantum wells consisting of mixed crystals
R. Zheng, M. Matsuura 626

Wavepacket motion during thermalization of self-trapped exciton driven by an intramolecular vibration in one-dimensional platinum dimethylglyoxime complex
S. Iwai, T. Kamata, S. Murata, K. Yamamoto, T. Ohta 629

Exciton–phonon interaction and conversion of excitons from free to self-trapped states in layered metal iodide crystals under hydrostatic pressure
A. Saitoh, T. Komatsu, T. Karasawa 633

Jahn–Teller effect of Au^- centers in KCl_xBr_{1-x} mixed crystals
T. Kawai, Y. Sugata, S. Shimanuki 636

Section 18. Photo-induced structural change

Photo-destruction of charge/orbital order in layered perovskite manganite: $La_{0.5}Sr_{1.5}MnO_4$
T. Ogasawara, T. Kise, T. Ishikawa, M. Kuwata-Gonokami, Y. Tokura 639

Theory of the photoinduced spin-state transitions in spin-crossover complexes
K. Koshino, T. Ogawa 642

The light-induced structural phase transition in confining gallium and its photonic applications
V. Albanis, S. Dhanjal, K. MacDonald, P. Petropoulos, H.L. Offerhaus, D.J. Richardson, A. Rode, N.I. Zheludev 646

Pressure- and photo-induced phase transition in gold complex
X.J. Liu, Y. Moritomo, M. Ichida, A. Nakamura, N. Kojima 649

A possible mechanism for photoinduced structural phase transitions in low-dimensional electron–lattice systems
K. Iwano, K. Nasu 652

Elementary nonlinear processes in the formation of domains after photoexcitation
H. Mizouchi 655

The mechanism of the photo-induced magnetic transition in Co–Fe cyanide with ab initio calculations
T. Kawamoto, Y. Asai, S. Abe 658

Photoinduced structural changes in crystalline C_{60}: relaxation of exciton and dimerization processes
M. Suzuki 661

Light-induced memory in $TlInS_2$ incommensurate ferroelectric
H. Uchiki, D. Kanazawa, N. Mamedov, S. Iida 664

Photochromism in salicylideneaniline (SA) single crystals
M.Y. Shen, L.Z. Zhao, T. Goto, A. Mordzinski 667

Section 19. Disordered and amorphous material

Broad-band 1.5 μm emission of Er^{3+} ions in bismuth-based oxide glasses for potential WDM amplifier
S. Tanabe, N. Sugimoto, S. Ito, T. Hanada 670

Ce^{3+} or Tb^{3+}-doped phosphate and silicate scintillating glasses
S. Baccaro, R. Dall'Igna, P. Fabeni, M. Martini, J.A. Mares, F. Meinardi, M. Nikl, K. Nitsch, G.P. Pazzi, P. Polato, C. Susini, A. Vedda, G. Zanella, R. Zannoni 673

An improved emission characteristics of Tb^{3+}-doped sol–gel glasses by utilizing high solubility of terbium nitrate
K. Itoh, N. Kamata, T. Shimazu, C. Satoh, K. Tonooka, K. Yamada 676

Spectral changes of Tb^{3+} fluorescence in borosilicate glasses
K. Tonooka, O. Nishimura 679

Room-temperature persistent spectral hole burning of Eu^{3+}-doped sodium borate glasses
K. Fujita, K. Tanaka, K. Yamashita, K. Hirao 682

Phosphorescence of vanadium oxide dispersed in silica
M. Kawashima, N. Oda, Y. Uchida, K. Matsui 685

Influence of the host structure and doping precursors on rare earth clustering in phosphate glasses analysed by co-operative luminescence
P. Goldner, B. Schaudel, M. Prassas, F. Auzel 688

Pressure effect on the structure and the luminescence of rare-earth ions doped glasses: an investigation by molecular dynamics simulation
A. Monteil, C. Bernard, S. Chaussedent, M. Ferrari, N. Balu, J. Obriot 691

Near-infrared luminescence and spectral anomaly in PLZT ceramics doped with Nd^{3+}, Er^{3+}, Yb^{3+} and Cr^{5+} ions at low temperatures
S. Murakami, M. Morita, M. Herren, T. Sakurai, D. Rau 694

Optical spectra of Sm^{3+} and Sm^{2+} in chloride glass
K. Kojima, A. Kubo, M. Yamashita, N. Wada, T. Tsuneoka, Y. Komatsubara 697

Site-selective study of the 1.8 eV luminescence band in glassy GeO_2
L. Skuja, H. Hosono, M. Mizuguchi, B. Güttler, A. Silin 699

Sol–gel derived nanocomposite hybrids for full colour displays
L.D. Carlos, R.A. Sá Ferreira, I. Orion, V. de Zea Bermudez, J. Rocha 702

Femtosecond optical Kerr effect measurement on initial process of liquid dynamics
S. Kinoshita, Y. Kai, Y. Watanabe, J. Watanabe 706

Raman spectrum of ball-milled α-$TiCl_3$
H. Miyaoka, T. Kuze, H. Sano, H. Mori, G. Mizutani, S. Ushioda, N. Otsuka, M. Terano 709

Rayleigh dip in depolarized light scattering spectra of liquids
H. Fukuda, S. Kinoshita 712

Optical properties of (organic polysilane)–(inorganic matrix) hybrid thin films
S. Mimura, H. Naito, Y. Kanemitsu, K. Matsukawa, H. Inoue 715

Interplay of localization and anisotropy in the optical properties of ordered $(Al_xGa_{1-x})_{0.52}In_{0.48}P$
U. Dörr, R. Lutz, J. Schuler, H. Kalt, W. Send, D. Gerthsen 718

Lattice damage study of implanted InGaAs by means of Raman spectroscopy
S. Hernández, B. Marcos, R. Cuscó, N. Blanco, G. González-Díaz, L. Artús 721

Study of the effective layer for luminescence and exoelectron emission in $YBa_2Cu_3O_{7-\delta}$
L. Oster, J. Haddad 724

Section 20. Molecular systems

Radiative relaxation in oligosilane aggregates
Y. Ichino, N. Minami, T. Yatabe 727

Sub-micron scale spectroscopy localized on individual fibers of molecular J-aggregates of pseudoisocyanine dyes in thin polymer film
M. Vacha, K.-i. Hashizume, T. Tani 730

Electric field effects on fluorescence of pyrene in a homogeneously distributed system and in an oriented molecular system
N. Ohta, S. Umeuchi, T. Kanada, K. Akita, H. Kawabata, I. Yamazaki 733

Femtosecond differential transmission spectroscopy of α-sexithienyl thin film
G. Urbasch, H. Giessen, M. Murgia, R. Zamboni, R.F. Mahrt 736

Ultrafast photoisomerization in DCM dye observed by new femtosecond Raman spectroscopy
M. Yoshizawa, M. Kubo, M. Kurosawa 739

Femtosecond reaction dynamics of a photochromic dithienylethene derivative
J. Ern, A. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper, C. Kryschi 742

Efficient intermolecular energy transfer between soluble polysilanes
S. Aihara, N. Kamata, A. Nishibori, K. Nagumo, H. Sato, D. Terunuma, K. Yamada 745

Optical investigation of infrared dyes in sol–gel films
R. Pizzoferrato, M. Casalboni, F. De Matteis, P. Prosposito 748

Electroabsorption of electroluminescent polymer poly(*p*-phenylene vinylene) in a wide spectral region
Y. Shimoi, K. Murata, S. Abe, T. Noguchi, T. Ohnishi 751

Laser gain and excited-state absorption measurements in phenylene-vinylene oligomer (1,4-bis-(alpha-cyanostyryl)-2,5-dimethoxybenzene)
H. Manaa, F.Z. Henari, K.P. Kretsch, W.J. Blau, H. Rost, S. Pfeiffer, A. Teuschel, H. Tillmann, H.H. Hörhold 754

Intramolecular energy relaxation and competing electron transfer in porphyrin-acceptor supermolecule systems
Y. Shibata, H. Chosrowjan, N. Mataga, A. Osuka 757

Dynamics of triplet excitations in Langmuir–Blodgett films of aromatic molecules
N. Kh. Ibrayev, V.A. Latonin 760

Effect of structural phase transition on absorption and fluorescence spectra in p-quaterphenyl
K. Yokouchi, K. Uchida, Y. Takahashi 764

Luminescence of dyes doped in a sol–gel coating film
Y. Takahashi, A. Maeda, K. Kojima, K. Uchida 767

Luminescence properties of the J-aggregate of cyanine dyes in multilayer assemblies
N. Kometani, H. Nakajima, K. Asami, Y. Yonezawa, I.G. Scheblykin, A.G. Vitukhnovsky 770

Excitation dynamics in σ–π conjugated silylene–biphenylene copolymers
S. Suto, R. Ono, M. Shimizu, T. Goto, A. Watanabe, M.-C. Fang, M. Matsuda 773

Optical and time evolution properties of a photochromic thin film
Q. Chen, T. Hiraga, L. Men, J. Tominaga, N. Atoda 776

Discrepancy in response functions obtained from Stokes and anti-Stokes low-frequency light scattering in liquid
J. Watanabe, Y. Watanabe, M. Tango, S. Kinoshita 779

Energy-level alignment at NTCDA/metal and PTCDA/NTCDA interfaces studied by UPS
T. Maruyama, A. Hirasawa, T. Shindow, K. Akimoto, H. Kato, A. Kakizaki 782

Luminescence properties of C_{70} crystals: defect-related luminescence
M. Ichida, S. Tanaka, A. Nakamura 785

Origin of photoluminescence and spectral analysis of vibronic structure resolved in C_{60} single crystals
I. Akimoto, K. Kan'no 788

Measurements of the electric-field-induced change in fluorescence decay profile of a mixture of ethylcarbazole and dimethylterephthalate in a PMMA polymer film
Y. Nishimura, I. Yamazaki, N. Ohta 791

Spectral manifestations of aggregates structure of heteroaromatic molecules at low temperatures
N.N. Barashkov, I.V. Korotkova, T.V. Sakhno 794

Excitation relaxation dynamics of linear carotenoids
S. Akimoto, I. Yamazaki, S. Takaichi, M. Mimuro 797

J-aggregate formation of amphiphilic merocyanine in Langmuir–Blodgett films
H. Tachibana, Y. Yamanaka, H. Sakai, M. Abe, M. Matsumoto 800

Section 21. Biological systems

Comparative theoretical studies on exciton dynamics in biological and artificial chromophore complexes
V. May, R. Scheller, T. Renger 803

Modeling excitonic line shapes of photosynthetic light harvesting systems: influence of quasi-static and dynamic disorder
P. Reineker, I. Barvík, Ch. Warns, Th. Neidlinger 806

Low-temperature absorption off-resonant hole-burning spectroscopy of pheophytine *a* in photosystem II reaction center
R. Dědic, M. Lovčinský, F. Vácha, J. Hala 809

Laser-induced phototransformation in green fluorescent protein at low temperature
K. Mauring, A. Suisalu, J. Kikas 812

Theory of excitation transfer in the intermediate coupling case
A. Kimura, T. Kakitani, T. Yamato 815

Rapid excitation-energy transfer to optically forbidden states in light-harvesting antennas of photosynthetic bacteria
K. Mukai, S. Abe, H. Sumi 818

Femtosecond fluorescence studies on ultrafast reaction dynamics of photoactive proteins
N. Mataga, H. Chosrowjan, Y. Shibata, Y. Imamoto, F. Tokunaga, F. Tanaka 821

Detection of starch granules in a living plant by optical second harmonic microscopy
G. Mizutani, Y. Sonoda, H. Sano, M. Sakamoto, T. Takahashi, S. Ushioda 824

Section 22. Nonlinear coherent and ultrafast phenomena

Auger-free luminescence excited by high-order harmonics of a femtosecond Ti : sapphire laser
T. Sekikawa, T. Ohno, Y. Nabekawa, S. Watanabe 827

Measurements of ultrafast scintillation rise times: evidence of energy transfer mechanisms
M.J. Weber, S.E. Derenzo, W.W. Moses 830

50 kHz absorption line in $Y_2SiO_5 : Eu^{3+}$
M.J. Sellars, G.J. Pryde, N.B. Manson, E.R. Krausz 833

Generation of coherent THz phonons in GeTe ferroelectrics
M. Hase, K. Mizoguchi, S. Nakashima 836

Real-space and real-time imaging of polariton wavepackets
S. Adachi, R.M. Koehl, K.A. Nelson 840

Observation of the wave packet transit on the adiabatic potential surface of self-trapped excitons in halogen-bridged Pt complexes
T. Suemoto, S. Tomimoto, S. Saito, K. Sakata, J. Takeda, S. Kurita 844

Ultrafast photoluminescence from $(C_6H_5C_2H_4NH_3)_2PbI_4$
T. Fujita, H. Nakashima, M. Hirasawa, T. Ishihara 847

Size dependence of degenerate four-wave mixing signal due to enhancement of internal field in mesoscopic systems
H. Ishihara, T. Amakata, K. Cho 850

High-density excitation effects of excitons in ZnSe quantum wells by spectrally resolved four-wave mixing
S.-i. Hataoka, A. Itoh, I. Tanahashi, K. Tanaka 853

Nonlinear optical response by spatially separated light beams in a condensed exciton system
T.J. Inagaki, M. Aihara 856

Dispersion of third-order nonlinear optical susceptibility of silver nanocrystal-glass composites
Y. Hamanaka, N. Hayashi, A. Nakamura, S. Omi 859

Optical second-harmonic generation from the anatase TiO_2 (1 0 1) face
S. Nakamura, K. Matsuda, T. Wakasugi, E. Kobayashi, G. Mizutani, S. Ushioda, T. Sekiya, S. Kurita 862

Third-harmonic generation in a noncentrosymmetrical crystal: direct third-order or cascaded second-order process?
Y. Takagi, S. Muraki 865

Ultrafast excitonic optical gain induced by giant-Zeeman splitting in $Cd_{1-x}Mn_xTe$ quantum wells
R. Akimoto, F. Sasaki, S. Kobayashi, K. Ando, G. Karczewski, T. Wojtowicz 868

Frequency-domain nanosecond population-grating spectroscopy in semiconductor doped glass
Y. Ishikawa, H. Souma, S. Wada, H. Tashiro 871

Transient spectroscopy of vibrational coherence induced by relaxation
B.D. Fainberg 874

Spectroscopic and laser properties of Nd^{3+} in SBN
J.J. Romero, D. Jaque, L.E. Bausá, A.A. Kaminskii, J. García Solé 877

Non-collinear excitation of photon echo in optically dense media
O.M. Fedotova, T.V. Smirnova, O.K. Khasanov 880

Backward and forward Raman scattering in highly efficient GaP Raman amplifier waveguides
T. Saito, K. Suto, T. Kimura, A. Watanabe, J. Nishizawa 883

Second harmonic generation from the single crystals of N-substituted 4-cyanoanilines
H. Hashimoto, Y. Okada, N. Okamoto, R. Matsushima 886

Subpicosecond degenerate four-wave mixing and optical Kerr effect of organic dyes in excited states
K. Kasatani 889

Phonon-mediated coherent transients in pseudoisocyanine J aggregates
F. Sasaki, T. Kato, S. Kobayashi 892

Frequency-domain four-wave mixing spectroscopy in disordered materials
Y. Watanabe, S. Kinoshita 895

Theory of time-resolved two-photon photoemission spectroscopy from metal surfaces
T. Mii, H. Ueba 898

Intense THz radiation from femtosecond laser pulses irradiated InAs in a strong magnetic field
H. Ohtake, S. Ono, M. Sakai, Z. Liu, N. Sarukura 902

Theory of transient pulse response including the effect of nanoscale spatial variation of resonant internal field
H. Ishihara 905

Exciton energy relaxation and exciton mobility edge in (CdMg)Te epilayers studied by time-resolved photoluminescence
J.X. Shen, M.C. Debnath, I. Souma, E. Shirado, T. Saitou, T. Sato, R. Pittini, Y. Oka 908

Observation of 'broad Raman' component in resonant secondary radiation
R. Nakamura, A. Ishizumi, S. Yamamoto, J. Watanabe, J. Nakahara 911

Manipulation of 2P excitonic wave function in ZnSe
Y. Mitsumori, T. Kuroda, F. Minami 914

Femtosecond optical Kerr-gate measurement of fluorescence spectra of dye solutions
Y. Kanematsu, H. Ozawa, I. Tanaka, S. Kinoshita 917

Photo-doped carrier dynamics by two-color pump–probe time-resolved Raman scattering measurement in Ge
S. Saito, T. Suemoto 920

Observation of coherent plasmon–phonon coupled mode in InAs
H. Kamioka, S. Saito, T. Suemoto 923

Femtosecond optical Kerr gate fluorescence spectroscopy for ultrafast relaxation processes
J. Takeda, K. Nakajima, S. Kurita, S. Tomimoto, S. Saito, T. Suemoto 927

Subpicosecond four-wave-mixing spectroscopy in ferroelastic crystal $NdGaO_3$
S. Nakanishi, M. Ishii, N. Kosaka, H. Itoh 930

Exciton–exciton scattering in poly(di-n-hexylsilane) films
M. Shimizu, S. Suto, A. Yamamoto, T. Goto, A. Kasuya, A. Watanabe, M. Matsuda 933

Time-dependent variational approach to the dynamics of the exciton self-trapping process
S. Tanaka, Y. Kayanuma 936

Study of coherent LO phonon–plasmon-coupled modes by double-pulse excitation
K. Mizoguchi, F. Miyamaru, M. Nakajima, M. Hase, S. Nakashima 939

Comparison of coherent and incoherent LO phonons in isotopic $^{70}Ge/^{74}Ge$ superlattices
M. Nakajima, K. Mizoguchi, K. Morita, K. Itoh, H. Harima, S. Nakashima 942

Optical measurement of ultrashort spin-lattice relaxation time in the ground state of the thulium ion in cubic fields
K. Isoda, T. Kohmoto, Y. Fukuda, M. Kunitomo 945

Rotational coherence in gaseous molecules observed by the femtosecond Raman-induced polarization spectroscopy
T. Kohmoto, K. Isoda, Y. Fukuda, M. Kunitomo 948

Section 23. Near-field spectroscopy

Observation of polysilane by near-field scanning optical microscope for ultraviolet (UV) region
M. Arai, S. Koshihara, M. Ueda, M. Yoshimoto, T. Saiki, S. Mononobe, M. Ohtsu, T. Miyazawa, M. Kira 951

Near-field optical images of ordered polystyrene particle layers and their photonic band effect
T. Fujimura, T. Itoh, A. Imada, R. Shimada, T. Koda, N. Chiba, H. Muramatsu, H. Miyazaki, K. Ohtaka 954

Near-field observation of luminescence of silicon phthalocyanine dye aggregates at low temperature
T. Tokizaki, K. Sugiyama, T. Onuki, Y. Sakakibara, T. Tani 957

Theoretical study of scanning near-field microscope
Y. Ohfuti, T. Amanai 960

Section 24. Rare-earth ions

Future hosts for fast and high light output cerium-doped scintillator
M. Balcerzyk, Z. Gontarz, M. Moszynski, M. Kapusta 963

Synthesis and luminescent property of Eu^{3+}-doped $LaSi_3N_5$ phosphor
K. Uheda, H. Takizawa, T. Endo, H. Yamane, M. Shimada, C.-M. Wang, M. Mitomo 967

Predictability of 5d level positions of the triply ionized lanthanides in halogenides and chalcogenides
P. Dorenbos 970

Rare-earth-doped sesquioxides
K. Petermann, G. Huber, L. Fornasiero, S. Kuch, E. Mix, V. Peters, S.A. Basun 973

Excited-state chiral discrimination of Tb(III) complexes of (S,S′)- and (R,R′)-ethylenediamine-N,N′-disuccinic acid in circularly polarized luminescence and luminescence decay profiles
M. Morita, M. Herren, T. Ansai, D. Rau 976

Electronic structure and associated properties of $Gd_2O_2S:Tb^{3+}$
M. Raukas, K.C. Mishra, C. Peters, P.C. Schmidt, K.H. Johnson, J. Choi, U. Happek 980

Mechanisms of optical erasure of ionization spectral holes in doped insulating crystals
A.A. Kaplyanskii, S.A. Basun, U. Happek, R.S. Meltzer, M. Raukas 983

Wavelength- and angle-selective properties of optical memory effect by interference of multiple-scattered light in Sm-doped ZnS nanocrystals
A. Kurita, Y. Kanematsu, M. Watanabe, K. Hirata, T. Kushida 986

High-resolution site selective optical spectroscopy of rare earth and transition metal defects in insulators
V. Dierolf, A.B. Kutsenko, C. Sandmann, Th. Tröster, G. Corradi 989

Optical properties of two Ce^{3+}-site centers in $BaMgF_4:Ce^{3+}$ crystals
M. Yamaga, T. Imai, N. Kodama 992

Remarkable luminescence of novel Nd(III) complexes with low-vibrational hexafluoroacetylacetone and DMSO-d_6 molecules
S. Yanagida, Y. Hasegawa, Y. Wada 995

Cooperative processes in $KYb(WO_4)_2$ crystal doped with Eu^{3+} and Tb^{3+} ions
W. Strek, P. Deren, A. Bednarkiewicz 999

Extending Dieke's diagram
R.T. Wegh, A. Meijerink, R.-J. Lamminmäki, J. Hölsä 1002

VUV emission of rare-earth ions doped into fluoride crystals
V.N. Makhov, N.M. Khaidukov, N.Yu. Kirikova, M. Kirm, J.C. Krupa, T.V. Ouvarova, G. Zimmerer 1005

Infrared to visible up-conversion in Cr : Tm : Ho : YAG
K.-S. Lim, C.-W. Lee, S.-T. Kim, H.J. Seo, C.-D. Kim 1008

Up-conversion fluorescence in MBE-grown Nd^{3+}-doped LaF_3/CaF_2 waveguides
X. Zhang, E. Daran, C. Serrano, F. Lahoz 1011

NIR to VIS up-conversion in Os^{4+}-doped halide compounds
M. Wermuth, H.U. Güdel 1014

Quantum cutting through downconversion in rare-earth compounds
R.T. Wegh, H. Donker, E.V.D. van Loef, K.D. Oskam, A. Meijerink 1017

Up-conversion pumped light amplification with temperature tunable gain in Er^{3+}/Yb^{3+}-codoped chalcogenide glasses
S.F. Felix, E.A. Gouveia, M.T. de Araujo, A.S.B. Sombra, A.S. Gouveia-Neto 1020

Defect study on Ce^{3+} in $LiBaF_3$
M. Marsman, J. Andriessen, C.W.E. van Eijk 1023

Energy transfer processes in rare-earth-ion-doped materials
Y. Mita, M. Togashi, H. Yamamoto 1026

A spectroscopic comparison of samarium-doped $LiYF_4$ and KY_3F_{10}
J.-P.R. Wells, A. Sugiyama, T.P.J. Han, H.G. Gallagher 1029

Laser-induced Eu^{3+} luminescence in zircon $ZrSiO_4$
M. Gaft, G. Panczer, R. Reisfeld, I. Shinno, B. Champagnon, G. Boulon 1032

Cooperative luminescence in $Yb^{3+} : LiNbO_3$
E. Montoya, O. Espeso, L.E. Bausá 1036

Luminescence properties of borate phosphors in the UV/VUV region
I.-E. Kwon, B.-Y. Yu, H. Bae, Y.-J. Hwang, T.-W. Kwon, C.-H. Kim, C.-H. Pyun, S.-J. Kim 1039

Excitation spectra of a long-persistent phosphor $SrAl_2O_4$: Eu, Dy in vacuum ultraviolet region
M. Kamada, J. Murakami, N. Ohno 1042

Up-conversion mechanisms in Pr^{3+}-doped $Bi_4Ge_3O_{12}$ crystal
J.J. Ju, J.H. Ro, M. Cha 1045

Preparation and spectroscopy of Yb^{2+}-doped $Y_3Al_5O_{12}$, $YAlO_3$, and $LiBaF_3$
M. Henke, J. Perßon, S. Kück 1049

Parametric analysis of the energy level scheme of Ho^{3+} in HoOCl
J. Hölsä, R.-J. Lamminmäki, M. Lastusaari, E.P. Chukalina, M.N. Popova, P. Porcher 1052

Photoluminescence in Ho-doped $AgGaS_2$ single crystals
T. Terasako, K. Hashimoto, Y. Nomoto, S. Shirakata, S. Isomura, E. Niwa, K. Masumoto 1056

Investigation of $4f^7$ levels of Eu^{2+} ions in $KMgF_3$ crystal by two-photon excitation spectroscopy
H.J. Seo, B.K. Moon, T. Tsuboi 1059

Luminescence of Sr_2CeO_4
C.-H. Park, C.-H. Kim, C.-H. Pyun, J.-H. Choy 1062

Crystal structure and luminescence properties of europium-doped iodo- and telluromolybdate compounds
A.M. Fedosseev, M.S. Grigoriev, N.A. Budantseva, I.B. Shirokova, E. Antic-Fidancev, J.-C. Krupa 1065

Preparation and luminescence properties of inorganic–organic hybrid materials doped with lanthanide (III) complexes
H. Li, S. Inoue, K. Machida, G. Adachi 1069

EPR studies of europium(II)-doped strontium aluminate phosphors
K. Kaiya, N. Takahashi, T. Nakamura, T. Matsuzawa, G.M. Smith, P.C. Riedi 1073

Optical properties of long-lasting phosphorescent crystals Ce^{3+}-doped $Ca_2Al_2SiO_7$ and $CaYAl_3O_7$
N. Kodama, Y. Tanii, M. Yamaga 1076

Host-to-activator energy transfer in a new blue-emitting phosphor $SrHfO_3 : Tm^{3+}$
H. Yamamoto, M. Mikami, Y. Shimomura, Y. Oguri 1079

New phosphors based on Eu^{3+}-doped microporous titanosilicates
J.P. Rainho, L.D. Carlos, J. Rocha 1083

Fluorescence of Cr^{3+} doped alumina optical waveguides prepared by pulsed laser deposition and sol–gel method
A. Pillonnet, C. Garapon, C. Champeaux, C. Bovier, H. Jaffrezic, J. Mugnier 1087

Hole burning on the time-resolved optically detected ESR spectra of self-trapped excitons in alkali halides
M. Shirai, T. Tayagaki, K. Tanaka, K. Kan'no 1090

Disordered laser gain media: Er^{3+} doped $CaGdAlO_4$ and $Ca_3Ga_2Ge_4O_{14}$
J.-P.R. Wells, T.P.J. Han, M. Yamaga, Nobuhiro Kodama, H.G. Gallagher 1093

Optical properties of Er and Yb co-doped lithium niobate waveguides
E. Cantelar, R. Nevado, G. Martín, J.A. Sanz-García, G. Lifante, F. Cussó, M.J. Hernández, P.L. Pernas 1096

Three-parameter mapping of site distribution by optical-RF double resonance in $Eu^{3+} : Y_2O_3$ crystals
M. Yamaguchi, K. Koyama, T. Suemoto 1099

Temperature-dependent luminescence of europium aggregates in NaCl
J. Qi, M. Tanaka, J.S. Ahn, Y. Masumoto 1102

Photoluminescence studies of rare-earth-doped $CuAlS_2$ single crystals
T. Nishi, Y. Kimura, K. Sato 1105

Na^+, Li^+ and cubic centres in rare-earth-doped CaF_2 and SrF_2
G.D. Jones, R.J. Reeves 1108

Photoluminescence spectra of $CuAlS_2$ doped with Er
J. Nakahara, K. Itoh, K. Sato, S. Yamamoto 1112

Eu^{3+}- and Tm^{3+}-doped yttrium oxide thin films for optical applications
O. Pons Y Moll, A. Huignard, E. Antic-Fidancev, P. Aschehoug, B. Viana, E. Millon, J. Perrière, C. Garapon, J. Mugnier 1115

Section 25. Transition metal ions

Unexpected luminescence of Cr^{5+} and Cr^{3+} ions in $ZrSiO_4$ zircon crystals
M. Gaft, G. Boulon, G. Panczer, Y. Guyot, R. Reisfeld, S. Votyakov, G. Bulka 1118

Spectroscopic properties of Cr-doped Sc_2O_3
S. Kück, L. Fornasiero, E. Mix, G. Huber 1122

Zero-phonon optical lines of impurity centers in ABO_3 perovskite-like ferroelectrics
V.A. Trepakov, V.S. Vikhnin, S. Kapphan, L. Jastrabik, J. Licher, P.P. Syrnikov 1126

Absorption and luminescence in $PbCl_2 : Tl^+$ crystals
H. Nakagawa, Y. Doi, T. Nakamura 1130

Chromium centers in stoichiometric $LiNbO_3$
G.M. Salley, S.A. Basun, A.A. Kaplyanskii, R.S. Meltzer, K. Polgar, U. Happek 1133

Excitonic emission of scheelite tungstates AWO_4 (A = Pb, Ca, Ba, Sr)
M. Nikl, P. Bohacek, E. Mihokova, M. Kobayashi, M. Ishii, Y. Usuki, V. Babin, A. Stolovich, S. Zazubovich, M. Bacci 1136

Luminescence of anatase TiO_2 single crystals annealed in oxygen atmosphere
T. Sekiya, S. Kamei, S. Kurita 1140

Section 26. Electroluminescence

Mid-infrared laser development based on transition metal doped cadmium manganese telluride
U. Hömmerich, J.T. Seo, A. Bluiett, M. Turner, D. Temple, S.B. Trivedi, H. Zong, S.W. Kutcher, C.C. Wang, R.J. Chen, B. Schumm 1143

Preparation of $SrGa_2S_4$: Ce thin films for low-energy cathodoluminescence
H. Nakajima, H. Kominami, T. Aoki, Y. Nakanishi, Y. Hatanaka 1146

Voltage-dependent recombination region movement in organic light-emitting diodes (OLEDs) based on europium complex-doped polymer
F. Zhang, Y. Wang, X. Yang, Y. Hou, Z. Xu, X. Xu, R. Zhang, Z. Huang 1149

Penetration depth of low-energy electrons into ZnS
H. Kominami, T. Aoki, Y. Nakanishi, Y. Hatanaka 1152

Cathodoluminescence studies of in-plane and in-depth properties of GaN epilayers
M. Godlewski, E.M. Goldys, M.R. Phillips 1155

Photon emission from the nanostructures of $Al_xGa_{1-x}As$–GaAs produced by conventional lithographic and reactive ion-etching techniques
M. Manimaran, P.R. Vaya, T. Kanayama 1158

Photoluminescence and lasing of thin CdS films on glass formed by pulsed-laser-deposition
B. Ullrich, D.M. Bagnall, H. Sakai, Y. Segawa 1162

Improvement of organic electroluminescent device performance by in situ plasma treatment of indium–tin-oxide surface
M. Ishii, T. Mori, H. Fujikawa, S. Tokito, Y. Taga 1165

A blue-emitting organic electroluminescent device using a novel emitting amorphous molecular material
T. Noda, Y. Shirota 1168

Exciplex formation at the organic solid/solid interface and tuning of the emission color in organic electroluminescent devices
K. Okumoto, Y. Shirota 1171

Organic electroluminescence of silole-incorporated polysilane
A. Adachi, H. Yasuda, T. Sanji, H. Sakurai, K. Okita 1174

Organic electroluminescent devices using alkaline-earth fluorides as an electron injection layer
H. Fujikawa, T. Mori, K. Noda, M. Ishii, S. Tokito, Y. Taga 1177

Illumination characteristics of lighting array using 10 candela-class white LEDs under AC 100 V operation
T. Tamura, T. Setomoto, T. Taguchi 1180

Gallium oxide as host material for multicolor emitting phosphors
T. Miyata, T. Nakatani, T. Minami 1183

Electroluminescent characteristics of a poly bis(alkoxyphenyl)silane
N. Kamata, S. Aihara, M. Umeda, S. Kanezaki, K. Nagumo, D. Terunuma, K. Yamada 1186

Electroluminescence properties of rare-earth-activated SrS thin films under light irradiation
I. Tanaka, Y. Izumi, K. Tanaka, Y. Inoue, S. Okamoto 1189

Section 27. GaN and other luminescent materials

Time-resolved micro-photoluminescence of epitaxial laterally overgrown GaN
A. Kaschner, J. Holst, A. Hoffmann, I. Broser, P. Fischer, F. Bertram, T. Riemann, J. Christen, K. Hiramatsu, T. Shibata, N. Sawaki 1192

Time-resolved photoluminescence spectroscopy in GaN-based semiconductors with micron spatial resolution
T. Izumi, Y. Narukawa, K. Okamoto, Y. Kawakami, Sg. Fujita, S. Nakamura 1196

Ultraviolet emission properties in $In_xGa_{1-x}N$ epitaxial layer revealed by magnetoluminescence and time-resolved luminescence studies
H. Kudo, H. Ishibashi, R. Zheng, Y. Yamada, T. Taguchi, S. Nakamura, G. Shinomiya 1199

Steady-state and time-resolved luminescence in InGaN layers
R. Seitz, C. Gaspar, M. Correia, T. Monteiro, E. Pereira, M. Heuken, O. Schoen 1202

First-principles study of yttrium oxysulfide: bulk and its defects
M. Mikami, A. Oshiyama 1206

Acoustoluminescence and sonoluminescence
T.V. Prevenslik 1210

Polarized emission of $PbWO_4$ and $CdWO_4$ crystals
E. Feldbach, L. Jönsson, M. Kirm, A. Kotlov, A. Lushchik, V. Nagirnyi, G. Svensson, M. Asberg-Dahlborg 1213

Localizing nature of photo-excited states in $SrTiO_3$
T. Hasegawa, M. Shirai, K. Tanaka 1217

Coulomb scattering of excited carriers within RPA; calculation in real time domain
Y. Kurokawa, T. Takemori 1220

Zero-phonon line in photoluminescence spectra of $Al_xGa_{1-x}P$ liquid-phase epitaxial layers
T.J. Yu, K. Suto, J. Nishizawa 1224

Identification of origins for obscure emission in ZnSe through optically detected cyclotron resonance
K. Satoh, H. Nakata, T. Ohyama 1228

Temperature dependence of luminescence lifetime in Cu_2O
N. Harukawa, S. Murakami, S. Tamon, S. Ijuin, A. Ohmori, K. Abe, T. Shigenari 1231

Time-resolved study of photoluminescence in anatase TiO_2
M. Watanabe, S. Sasaki, T. Hayashi 1234

Photoacoustic and photoluminescence characterization of highly porous, polycrystalline TiO_2 electrodes made by chemical synthesis
T. Toyoda, T. Hayakawa, K. Abe, T. Shigenari, Q. Shen 1237

Exciton-induced lattice processes and their back action on exciton dynamics in alkali-halide and rare-gas crystals
M. Ratner, B. Grinyov 1240

Exciton luminescence of scheelite- and raspite-structured $PbWO_4$ crystals
M. Itoh, D.L. Alov, M. Fujita 1243

Section 28. Applications

Optimised co-activated willemite phosphors for application in plasma display panels
E. van der Kolk, P. Dorenbos, C.W.E. van Eijk, H. Bechtel, T. Jüstel, H. Nikol, C.R. Ronda, D.U. Wiechert 1246

Blue emitting $CaAl_2O_4 : Eu^{2+}$ phosphors for PDP application
S. Tanaka, I. Ozaki, T. Kunimoto, K. Ohmi, H. Kobayashi 1250

Fabrication and optical transition dynamics of Er-doped ZnO thin films formed on Si substrates
X. Zhao, S. Komuro, H. Isshiki, Y. Aoyagi, T. Sugano 1254

Preparation and application of lanthanide complex incorporated ORMOSIL composite phosphor films
K. Machida, H. Li, D. Ueda, S. Inoue, G. Adachi 1257

Re-activated lanthanide phosphate phosphors for PDP applications
R.P. Rao, D.J. Devine 1260

Luminescent mechanism of Mn emission in $Zn_xMg_{1-x}S : Mn$ thin films
R. Inoue, M. Kitagawa, Y. Horii, T. Nishigaki, S. Kinba, K. Ichino, S. Tanaka, H. Kobayashi 1264

A spectroscopic study on SrS : Cu,Ag two-component electroluminescent phosphors
W. Park, T.C. Jones, C.J. Summers 1267

Systematic studies on optical gain spectra in GaInN/GaN-MQWs
A. Ishibashi, I. Kidoguchi, A. Tsujimura, Y. Hasegawa, Y. Ban, T. Ohata, M. Watanabe, T. Hayashi 1271

Excitonic emission of BGaN grown on (0 0 0 1) 6H–SiC by metal-organic vapor-phase epitaxy
T. Honda, M. Kurimoto, M. Shibata, H. Kawanishi 1274

Designed, highly-efficient FED phosphors and screens
V.A. Bolchouchine, E.T. Goldburt, B.N. Levonovitch, V.N. Litchmanova, N.P. Sochtine 1277

Luminance saturation properties of PDP phosphors
C. Okazaki, M. Shiiki, T. Suzuki, K. Suzuki 1280

Scintillators and storage phosphors based on ABX_3 crystals
A.V. Gektin 1283

Temperature-dependent optical reflectivity spectra measured on cleaved surfaces of $La_{1-x}Sr_xMnO_3$
K. Takenaka, Y. Sawaki, S. Sugai 1286

Fluorescence label studies of thermo-responsive poly(N-isopropylacrylamide) hydrogels
K. Iwai, K. Hanasaki, M. Yamamoto 1289

Deformation-sensitive luminescence of forsterite (Mg_2SiO_4) shocked up to 82 GPa
I. Shinno, T. Nakamura, T. Sekine 1292

Development of NaCl : Tb(T) as gamma and beta radiation dosimetry material
R.U. Purohit, T.R. Joshi 1295

Preparation and luminescence of rare-earth-activated Y_2SiO_5 thin films by metallorganic decomposition
Y. Liu, C.-N. Xu, H. Matsui, T. Imamura, T. Watanabe 1297

New thermostimulated luminescence phosphors based on $CaSO_4 : Ag, RE$
U. Madhusoodanan, M.T. Jose, A. Tomita, A.R. Lakshmanan 1300

List of Contributors 1303

Subject Index 1312

Materials Index 1320